

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P. Do. 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/089,196	06/13/2002	Klaus Weber	AZ.3129	3273
75	90 09/27/2004		EXAMINER	
Robert W Becker & Associates 707 Highway 66 East Suite B			FOX, CHARLES A	
Tijeras, NM 8			ART UNIT	PAPER NUMBER
, ,			3652	
•		•	DATE MAILED: 09/27/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/089,196	WEBER ET AL.	91			
Office Action Summary	Examiner	Art Unit				
	Charles A. Fox	3652				
The MAILING DATE of this communication ap	pears on the cover sheet with the	correspondence addres	S			
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a replif NO period for reply specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statur Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be oly within the statutory minimum of thirty (30) d I will apply and will expire SIX (6) MONTHS fro te, cause the application to become ABANDON	timely filed ays will be considered timely. m the mailing date of this commun IED (35 U.S.C. § 133).	nication.			
Status						
1) Responsive to communication(s) filed on 17.	June 2004.					
· · · · —	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) 20-38 is/are pending in the application 4a) Of the above claim(s) is/are withdres 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 20-38 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examination 10)☑ The drawing(s) filed on 13 June 2002 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11)☐ The oath or declaration is objected to by the Examination is objected to be added to be	a)⊠ accepted or b)□ objected t e drawing(s) be held in abeyance. S ction is required if the drawing(s) is o	ee 37 CFR 1.85(a). Objected to. See 37 CFR 1.				
Priority under 35 U.S.C. § 119						
a) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list	nts have been received. Its have been received in Application on the second in the se	ation No ved in this National Staç	ge			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	4) Interview Summa Paper No(s)/Mail 5) Notice of Informa 6) Other:		·)			

Art Unit: 3652

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 20 and 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Harada et al. In regards to claim 20 Harada et al. US 5,700,127 discloses an apparatus for loading and unloading substrates from at least 2 processing stations comprising:

a conveying device (33) for the linear transport of substrates:

at least one rotatable handling device (10) for transporting said substrates from said conveying device to said process stations;

wherein said conveying device is disposed between at least two process stations; and

said handling device is disposed above said conveying device. See figures 1-3.

In regards to claim 21 Harada et al. further disclose that said handling device is disposed upon the central axis of said conveying device.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the

Page 2

Art Unit: 3652

subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 22-24 and 32-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harada et al. as applied to claim 20 above, and further in view of Toshima. In regards to claims 22-24,32,33 and 35Harada et al. teach the limitations of claim 20 as above, they do not teach the substrate handling device as having multiple substrates placed upon it at the same time. Toshima US 6,007,675 teaches a handling device for substrates comprising:

a plurality of substrate receivers, wherein said substrates are all placed along the circumference of an imaginary circle;

wherein said receivers are uniformly spaced along said imaginary circle;

wherein said handling device is provided with radial arms upon which the receivers are disposed on:

wherein said process devices are also disposed along said imaginary circle;

and said process stations are diametrically opposed to one another in relation to said imaginary circle;

wherein a common drive system (75) is provided for securing the substrates to said process stations. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the apparatus taught by Harada et al. with the substrate handler taught by Toshima in order to allow the apparatus to handle multiple substrates at the same time thereby decreasing the cycle time for processing a batch of substrates.

Art Unit: 3652

In regards to claim 34 It would have been obvious to one of ordinary skill in the art, at the time of invention that the function of the process chambers can be the same or different and the apparatus will still work in the same manner. Therefore it is considered an obvious design choice to have like processing chambers in the device.

Claims 25-29,31,36 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harada et al. and Toshima as applied to claim 22 above, and further in view of Lynch. Harada et al. and Toshima teach the limitations of claim 22 as above, they do not teach the conveying device as being a belt. Lynch US 4,595,440 teaches a conveyor (21) for holding and moving substrates (25) from an input position to an output position in a process machine, said conveyor comprising:

carriers (25) for holding substrates;

wherein said carriers are uniformly spaces along said conveyor belt; said carriers being disposed along a central axis of said conveyor belt;

It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the apparatus as taught by Harada et al. with a conveyor belt as taught by Lynch in order to move the substrates sequentially between process devices in an indexed manner that is exact and easy to control.

In regards to claims 31,36 and 37 Harada et al. in view of Toshiba further teach that the receivers of said handling device correspond to a like number of process locations and transfer locations located along said imaginary circle, wherein during loading or unloading of said receivers, the receivers are positioned over the central point of either a processing or transfer station. While Harada et al. in view of Toshiba do

Art Unit: 3652

not teach two carriers being positioned on the imaginary circle it would have been obvious to one of ordinary skill in the art, at the time of invention to space the carriers taught by Lynch in such a way so as have two carriers align with the imaginary circle taught by Harada et al. in view of Toshiba in order to allow all radial arms of the handler to work with every movement of the handler.

Claim 38 is rejected under 35 U.S.C. 103(a) as being unpatentable over Harada et al. in view of Toshiba as applied to claim 22 above, and further in view of Bacchi et al. Harada et al. in view of Toshiba teach the limitations of claim 22 as above, they do not teach providing a controller to drive the receivers. Bacchi et al. US 6,357,996 teaches a receiver (8) for a substrate that is opened and closed by a controller that receives signals from a charge-coupled device. It would have been obvious to one of ordinary skill in the art, at the time of invention to provide the device taught by Harada et al. in view of Toshiba with a control for the opening and closing of the receivers as taught by Bacchi et al. in order for the device to grasp and release the substrates at predetermined times and locations.

Response to Amendment

The amendments to the specification and claims filed on June 17, 2004 has been entered into the record. The amendments to claims 22,2331-33,35 and 36 renders the objections to those claims moot and they have been withdrawn.

Allowable Subject Matter

Claim 30 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the

Art Unit: 3652

base claim and any intervening claims. The closest prior art of Lynch does not teach or suggest placing two carriers in a side by side manner on the conveyor belt.

Response to Arguments

Applicant's arguments filed June 17, 2004 have been fully considered but they are not persuasive. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., a separate conveyor and handler) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). The conveyor section (33) does move a substrate from wafer cassettes (6) to an area where a handler moves the substrates into a process device. There is no mention of the conveyor device as being a separate entity from the handling device. Applicant is correct that the Harada reference call (33) a common conveying path" and that this path is comprised of sub-units that make up the path, the first is rails (11) and the actual conveying device (12) which rides upon said rails in a linear direction. The handling device forms the upper portion of the conveying device and as such holds the substrates as they are moved in a linear direction and then rotates to place them in the appropriate process device. The Harada reference is deemed to anticipate the limitations present in the claims.

The objection to the drawings have been withdrawn based upon applicant arguments that the opening and closing of receivers is well known in the art and that any type of device capable of performing the task would meet the limitations in the

claims. As such those limitations are herein treated as prior art admitted by the applicant.

The prior art made of record and not relied upon, but considered pertinent to applicant's disclosure is: Jacoby et al. 1985, Nogami 1988, Petz et al. 1990, Novak et al. 1993, Perego 2001, Komatsu et al. 2002 and Rodefeld 2003.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles A. Fox whose telephone number is 703-605-4294. The examiner can normally be reached between 7:00-5:00 Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen D. Lillis can be reached at 703-308-3248. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3652

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CAF CAF

9-15-64

EILEEN D. LILLIS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600